


APCL/TSERC/02/2023-24

To
The Commission Secretary,
TSERC, 5th Floor,
Singareni Bhavan, Red Hills
Lakdikapool, Hyderabad - 500 004



Dt 20/09/2023

Respected Sir,

Sub: Suggestions/Objections/comments on Suo-Moto determination of compliance of RPPO for FY 2018-19 to FY 2021-22 for Anjani Portland Cement Ltd --Request—Reg.

Ref 1: Anjani Portland Cement Ltd H.T Service No: SPT-338, Gudimalkapuram post, Chintalapalem Village & Mandal, Suryapet district, Telangana state, Pin: 508246.

Ref 2: CE/SLDC/REC/F.RPPO/D.NO.284/23,Dt.05.08.2023.

Ref 3: APCL/TSERC/01/20-21, Dated on 19/12/2020.

Ref 4: APCL/TSERC/02/20-21, Dated on 03/02/2021. ,

We would like to bring to your kind information that we have seen in TSERC portal reg. Suggestions/Objections/comments on Suo-Moto determination of compliance of RPPO for FY 2018-19 to FY 2021-22 on or before 20/09/2023 and also public hearing held on 25/09/2023.

In this connection, Anjani Portland cement Ltd having pending RECs for FY 2018-19 and FY 2019-20 and the same RECs was procured in the next financial year 2019-20 and 2020-21 respectively and as per cited 3&4 letters due to non-availability & High demand of solar RECs in the Financial year closing. But TSERC/ TSSLDC not considered our request.

Year wise RPPO status of Anjani Portland Cement Ltd

S. No	Financial Year	Obligation Solar RECs	Obligation Non solar RECs	Purchased solar RECs	Purchased Non solar RECs	pending Solar RECs	pending Non solar RECs
1	2018-19	4512	567	3773	567	739	0
2	2019-20	4025	509	2003	265	2022	244
3	2020-21	4240	539	4240	539	0	0
4	2021-22	5468	693	5468	693	0	0
	Total	18245	2308	15484	2064	2761	244

Comments/objections on RPPO obligation for FY 2018-19 & FY 2019-20:

1. We have participated in the IEX bidding but solar RECs not fulfilled due to non-availability and high demand of solar RECs in the financial year closing. We are ready to fulfill RPPO obligation 100%.Kindly give permission to procure pending RECs of FY 2018-19 and 2019-20 in this current financial year 2023-24.

2. Requesting Grace period 3 months for procurement of shortfall RECs after financial year closing like other states Karnataka etc due to reasons like High demand of RECs in financial year closing, Meter reading also closing 31st March and other Exchange issues.

Other comments/suggestions:

1. We are unable to fulfill RPP0 obligation as per TSERC due to amendment of IEX trading policy w.e.f 26th Dec, 2022.kindly consider RECs whatever allotted RECs in the exchanges (IEX RECs was considering by other states like AP, Karnataka etc).
2. Requesting permission to procure RECs in the bilateral mode as per CERC regulation 2022 to meet RPP0 obligation as per TSERC order.

Thanking you,
Yours faithfully,

For ANJANI PORTLAND CEMENT LIMITED



N. Venkat Raju
Managing Director

CC : The CE/SLDC/ TS Transco/Hyderabad/ Telangana.

ISO 9001 : 2015, ISO 14001 : 2015 and
ISO 45001 : 2018 Company
CIN : L26942MH1983PLC265166

Anjani Portland Cement Ltd

(A Subsidiary of Chettinad Cement Corporation Pvt. Ltd.)



APCL/TSERC/01/20-21

To
Commission Secretary [FAC]
Telangana State Electricity Regulatory Commission
5th Floor, Singareni Bhavan, Red Hills,
Lakdi-ka-pul, Hyderabad 500004,

Dt. 19/12/2020



Sir,

Sub: RPPO obligation for the FY 2018-19 of Anjani Portland Cement Ltd -Reg.

Ref 1: Anjani Portland Cement Ltd H.T service No: SPT-338, Chintalapalem village, Gudimalkapuram post,
Chintalapalem mandal, Suryapet district, Telangana state, Pin: 508246.

Ref 1:Lr. No. CE/SLDC/REC/F.RPPO.D.No.746/20,Dt.16.03.2020

We would like to bring to your kind information that we have received a letter from Res. CE (SLDC) Reg.
Compliance of RPPO obligation for the FY 2018-19 as per TSERC Regulation No.2 of 2018.

In this connection, we have purchased Solar REC (5.33%) certificates 4511 Nos and Non solar REC
(0.67%) certificates 567 Nos for the captive consumption 84638317 units for the FY 2018-19 and
document enclosed herewith.

We have participated in bidding for solar RECs 1111 Nos on 27/03/2019. But we got solar RECs 373 Nos
only and remaining solar RECs 738Nos unable to get due to non availability of Solar RECs in the IEX/ PXIL
Exchanges. We have purchased balance Solar RECs 738 Nos on 24/04/2019 for RPPO fulfillment.

We are doing bidding for RECs continuously with high forbearance price even though we are not getting
Solar RECs because of High demand and scarcity of Solar RECs. Because of this issue, most of the
companies are unable to fulfill RPPO obligation in the financial year 2018-19.

We request you to kindly consider solar REC certificates 738 Nos for the Compliance of RPPO obligation
for the FY 2018-19

Thanking you,

Yours faithfully,

For ANJANI PORTLAND CEMENT LIMITED

N Venkat Raju

Joint President (Works)



Corporate Office : # 6-3-553, Unit No.: E3 & E4,
4th Floor, Quena Square, Off Taj Deccan Road,
Erramanzil, Hyderabad - 500 082. Telangana.
T : +91 40 2335 3096 / 3106
E : info@anjanicement.com

Works : Chintalapalem Village & Mandal,
Suryapet Dist. - 508 246. Telangana.
T : +91 08683 230 158,
+91 08683 230 166, 230 168
F : +91 08683 230 024

Regional Office : A-610, Kanaka Wall Street, 6th Floor, Andheri Kurla Road, Chakala Junction,
Mumbai - 400 061. T : 2206070

ISO 9001 : 2015, ISO 14001 : 2015 and
ISO 45001 : 2018 Company

CIN : L26942MH1983PLC265166

Anjani Portland Cement Ltd

(A Subsidiary of Chettinad Cement Corporation Pvt. Ltd.)



APCL/TS Transco/01/21
To
The Chief Engineer/SLDC
TS.Transco, Vidyuth Soudha,
Hyderabad.

Dt. 21/01/2021

Sir,
Sub: RPPO obligation for the FY 2018-19 of Anjani Portland Cement Ltd -Reg.

Ref 1: Anjani Portland Cement Ltd H.T service No: SPT-338, Chintalapalem village & Mandal,
Gudimalkapuram post, Suryapet district, Telangana state, Pin: 508246.

We would like to bring to your kind information that we have written a letter to you Reg. RPPO obligation for FY 2018-19 and submitted captive consumption 84638317 units and purchased Solar REC (5.33%) certificates 4511 Nos and Non solar REC (0.67%) certificates 567 Nos. We are purchasing RECs certs for month wise captive consumption (1 to 30th) for the FY 2018-19 in place of billing period (21 of every month to 20th of next month). For the March-2019 month (01-03-19 to 31-03-19), we have taken estimated approx. units for doing REC trading on 27-03-2019 due to REC certs purchasing to be done on that same FY 2018-19. We have given captive consumption 84659265 units to TS Transco, Hyd. after financial year closed for all the months. Due to that discrepancy happened on captive consumption.

We have no discrepancies on captive consumption and kindly consider captive consumption 84659265 units instead of 84638317 units and solar certs 4512 Nos and Non solar certs 567 Nos for financial year 2018-19 as per report given by TS Transco.

We have participated in bidding for solar RECs 1111 Nos on 27/03/2019. But we got solar RECs 373 Nos only and remaining solar RECs 738 Nos unable to get due to non availability of Solar RECs in the IEX/ PXIL Exchanges. We have purchased balance Solar RECs 738 Nos on 24/04/2019 for RPPO fulfillment. We are doing bidding for RECs continuously with high forbearance price even though we are not getting Solar RECs because of High demand and scarcity of Solar RECs. Because of this issue, most of the companies are unable to fulfill RPPO obligation in the financial year 2018-19, 2019-20 & 2020-21. We request you to kindly extend 3 months time after every financial year due to non availability of Certs in exchanges IEX/PXIL.

Thanking you,
Yours faithfully,
For ANJANI PORTLAND CEMENT LIMITED


Authorized Signatory


CC : Commission Secretary [FAC], Telangana State Electricity Regulatory Commission.



Corporate Office : # 6-3-553, Unit No.: E3 & E4,
4th Floor, Quena Square, Off Taj Deccan Road,
Erramanzil, Hyderabad - 500 082. Telangana.
T : +91 40 2335 3096 / 3106
E : info@anjanicement.com

Works : Chintalapalem Village & Mandal,
Suryapet Dist. - 508 246. Telangana.
T : +91 08683 230 158,
+91 08683 230 166, 230 168
F : +91 08683 230 024

Regd. Office : A-610, Kanakia Wall Street, 6th Floor, Andheri Kurla Road, Chakala Junction,
Andheri East, Mumbai 400093. Contact - 022 62396051 / 62396070



TRANSMISSION CORPORATION OF TELANGANA LIMITED

VIDYUTSODHA :: HYDERABAD-82

Website: www.tstranseo.in

CIN No: U40102TG2014SGC094248

From The Chief Engineer, SLDC, Room No: 611, TS TRANSCO, Vidyut Soudha, Hyderabad – 500 082.	To M/s Anjani Portland Cement Ltd., 6-3-553, Unit Nos. E3 & E4, 4th Floor, Quena Square, Off Taj Deccan Road, Erramanzil, Hyderabad – 500082, Telangana.
---	---

Lr.No.CE/SLDC/REC/F.RPPO/D.No. 746 /20, Dt: 16 .03.2020

Sir,

Sub: TSSLDC- Compliance of Renewable Power Purchase Obligation – Initiating proceedings under TSERC Regulation No. 2 of 2018 against the RPPO Non-Complied Obligated entities for FY 2018-19 – Comments on the RPPO information – Called for – Reg.

- Ref: 1) Lr.No.CE/SLDC/REC/F.RPPO/D.No.270/19,Dt:03.08.2019.
2) Lr.No.Secy/TSERC/F.No.10/2019-20, D.No.63/20, Dt:25.01.2020.
3) Lr.No.Secy/TSERC/F.No.10/2019-20, D.No.84/20, Dt:10.02.2020.


With reference to the above, it is to inform that vide reference 3rd cited, the Hon'ble Telangana State Electricity Regulatory Commission has directed TSSLDC to obtain comments of the Obligated entities on the RPPO compliance computed by TSSLDC for the FY 2018-19.

In accordance with the provisions of the Regulation No.2 of 2018 (TSERC Renewable Power Purchase Obligation (Compliance by purchase of Renewable Energy/Renewable Energy Certificates) Regulations, 2018, the TSSLDC as State Agency, has computed the compliance to RPPO target for M/s Anjani Portland Cement Ltd. for FY 2018-19 as enclosed.

In this regard, you are requested to furnish your consent for the RPPO computation, in case of any deviation, you are advised to submit necessary proof thereof.

Hence, it is requested to submit the above information to this office within 15 days from the receipt of this letter under copy to the Secretary(FAC), TSERC, Hyderabad failing which, it will be assumed that the RPPO compliance computed by TSSLDC will be taken on record.

Encl: As above.


For Chief Engineer/TSSLDC

Copy Submitted to:
The Secretary, TSERC, Hyderabad.

Compliance of RPPO Obligation by Open Access Consumers/Captive Power Plants From April 2018 to March 2019

Sl. No	HTSC No	Name of the consumer	Concerned Discom	Source of Purchase			Total Energy Consumption through Open Access and/or Captive consumption during FY 2018-19	Solar RE RPPO Obligation				Non-Solar RE RPPO Obligation		
				Self-Consumption from fossil fuel Generator	IEX	Open Access from fossil fuel Generator		Solar RPPO Obligation to be complied with (5.33% of Total Energy Consumption)	Solar RPPO met through consumption from Solar Generators	No of Solar RECs submitted/ Self retention	Balance Solar RPPO to be fulfilled for FY 2018-19	Non-solar RPPO Obligation to be complied with (0.67% of Total Energy Consumption)	Non-solar RPPO met through consumption from Non-solar RE Generators	No of solar submi Self ret
				MWH	MWH	MWH	MWH	MWH	MWH	Nos	MWH	MWH	MWH	No
1	SPT338	Anajni Portland Cement Ltd	TSSPDCL	7224.835	0.00	0.00	7225	385.084	0	3773	0.000	48.406	0.000	



TRANSMISSION CORPORATION OF TELANGANA LIMITED

VIDYUTSOUDHA:: HYDERABAD-82

Website: www.tstransco.in

CIN No: U40102TG2014SGC094248

From
The Chief Engineer,
SLDC, Room No: 611,
TS TRANSCO,
Vidyut Soudha,
Hyderabad-82.

To
M/s.Anjani Portland Cement Ltd. (SPT 338)
#6-3-553, Unit No.E3 & E4, 4th Floor,
Quena Square,Off Taj Deccan Road, Erramanjil,
Hyderabad – 500082.

Lr.No.CE/SLDC/F.RPPO/D.No.156 /20,Dt: 08.07.2020

Sir,

Sub: TSSLDC- Compliance of Renewable Power Purchase Obligation for the FY 2018-19 – Clarifications on compliance of RPPO Obligation - Reg.


Ref: 1) Lr. No. CE/SLDC/REC/F.RPPO/D.No.746/20, Dt:16.03.2020.
2) Letter Dt:11.05.2020 of M/s Anjani Portland Cement Ltd. (SPT 338).

In the reference (2) cited above, M/s.Anjani Portland Cement Ltd. have informed that they met RPPO compliance as they have purchased solar REC (5.33%) certificates 4511 nos. and Non solar RECs (0.67%) certificates 567 nos. for the captive consumption 84638.317 Mwh for the FY 2018-19.

As per DISCOM certification data, the total captive power consumption for the FY 2018-19 is 84659.265 Mwh and the total Solar RECs and Non-solar RECs to be purchased for the FY 2018-19 are 4512 and 567 No.s respectively.

The total Solar RECs 3773 Nos. out of 4511 nos. solar RECs, Non-solar RECs 567 No.s purchased by you are considered for the FY 2018-19 and the balance 738 Nos. solar RECs purchased by you on 24.04.2019 are not considered for the FY 2018-19 because RECs purchased for a particular financial year shall be considered for that financial year only and RECs purchased in next financial year cannot be shown for the previous financial year as per TSERC REC/RPPO regulation No. 2 of 2018.

Hence, it is found that you have met 100% non-solar RPPO but a balance of 739 Mwh of solar RPPO has not been met by you during FY 2018-19.


Chief Engineer/TSSLDC

Copy to:

The Commission Secretary, TSERC,
5th Floor, SingareniBhavan, Red Hills,
Lakdikapool, Hyderabad.

} for favour of information.

ISO 9001 : 2015, ISO 14001 : 2015 and
BS OHSAS 18001 : 2007 Company

CIN : L26942MH1983PLC265166

Anjani Portland Cement Ltd

(A Subsidiary of Chettinad Cement Corporation Pvt. Ltd.)



APCL/TS Transco/3/19

To

Dt. 11/05/2020

The Chief Engineer
SLDC, Room No.611,
TS Transco, Vidyuth Soudha,
Hyderabad-5000082.

Sir,

Sub: Compliance of Renewable Power purchase obligation of Anjani Portland Cement Ltd FY 2018-19 under TSERC Regulation No. 2 of 2018-Reg.

Ref 1: Anjani Portland Cement Ltd H.T service No: SPT-338, Chintalapalem village, Gudimalkapuram post, Chintalapalem mandal, Suryapet district, Telangana state, Pin: 508246.

Ref 2: Lr No. CE/SLDC/REC/F.RPPO/DNo.746. Dt.16.03.2020

We would like to bring to your kind information that we have received a letter (hard copy) recently from Respected Chief Engineer (SLDC), TS Transco and Hyderabad Reg. Compliance of Renewable Power purchase obligation of Anjani Portland Cement Ltd FY 2018-19 under TSERC Regulation No. 2 of 2018 as per cited Ref2 letter.

In this connection, we have Purchased Solar REC (5.33%) certificates **4511** Nos and Non Solar REC (0.67%) certificates **567** Nos for the Captive consumption **84638317** units for the Financial year 2018-19 and Captive consumption units & Total purchased REC certificates document & REC Solar & Non solar certificates enclosed herewith. We will submit hard copies in your office after lifting the lockdown.

This is for your kind information.

Thanking you,

Yours faithfully,

For ANJANI PORTLAND CEMENT LIMITED

N Venkat Raju

Joint President (Works)

CC : The Secretary, TSERC, Hyderabad.

Attachments : 1. Captive Consumption summary & Purchased REC certificates summary sheet
2. REC certificates FY 2018-19



Corporate Office : # 6-3-553, Unit No., E3 & E4,
4th Floor, Quena Square, Off Taj Deccan Road,
Erramanzil, Hyderabad - 500 082 Telangana
T : +91 40 2335 3096 / 3106 F : +91 40 2335 3093
E : info@anjanicement.com

Works : Chintalapalem Village & Mandal,
Suryapet Dist. - 508 246, Telangana
T : +91 08683 230 158,
+91 08683 230 166, 230 168
F : +91 08683 230 024

Regd. Office : A-610, Kanakia Wall Street, 6th Floor, Andheri Kurla Road, Chakala Junction,
Andheri East, Mumbai 400093. Contact - 022 62396051 / 62396070

Dr. J. P. (181)

Month	CPP Gross Generation	TG auxiliary consumption	CPP net generation	open access power export	Captive consumption (Cement Plant)	Solar RECS (5.33%)	Non Solar RECS (0.67%)
April, 2018	8938000	671800	8266200	0	8266200	441	55
May, 2018	6648000	544500	6103500	0	6103500	325	41
June, 2018	9027000	694444	8332556	85700	8246856	440	55
July, 2018	7658000	642783	7015217	60200	6955017	371	47
August, 2018	7494000	608900	6885100	72700	6812400	363	46
September, 2018	9094000	663800	8430200	220900	8209300	438	55
October, 2018	7386000	582807	6803193	357000	6446193	344	43
November, 2018	7230000	539900	6690100	130300	6559800	350	44
December, 2018	6744000	549500	6194500	100	6194400	330	42
January, 2019	6603000	545700	6057300	62000	5995300	320	40
February, 2019	7159000	549649	6609351	0	6609351	352	44
March, 2019	8900000	660000	8240000	0	8240000	439	55
Total	92881000	7253783	85627217	988900	84638317	4511	567

Dr. 11/05/2020

ANJANI PORTLAND CEMENT LTD RPPO OBLIGATION FY 2018-19

ANJANI PORTLAND CEMENT LTD PURCHASED RECS FY 2018-19

S.No	Solar RECs	Non Solar RECs	Total RECs	Purchased on
1	1205	151	1356	25th, July 2018
2	1171	0	1171	31st, Oct 2018
3	1024	276	1300	30th, Jan 2019
4	1111	140	1251	27th, March, 2019 & 24th April, 2019
	4511	567	5078	


VP (E&I)

ISO 9001 : 2015, ISO 14001 : 2015 and
ISO 45001 : 2018 Company

CIN : L26942MH1983PLC265166

Anjani Portland Cement Ltd

(A Subsidiary of Chettinad Cement Corporation Pvt. Ltd.)



APCL/TSERC/02/20-21

To
The Chief Engineer/SLDC
TS.Transco, Room No.611,
Vidyuth Soudha, Hyderabad

Dt. 03/02/2021

Sir,

Sub: RPPO obligation for the FY 2019-20 of Anjani Portland Cement Ltd -Reg.

Ref 1: Anjani Portland Cement Ltd H.T service No: SPT-338, Chintalapalem village, Gudimalkapuram post, Chintalapalem mandal, Suryapet district, Telangana state, Pin: 508246.

Ref 1:Lr. No. CE/SLDC/REC/F.RPPO.D.No.444/20,Dt.21.12.2020

We would like to bring to your kind information that we have received letter from Res. CE (SLDC) Reg. Compliance on the RPPO obligation for the FY 2019-20 as per TSERC Regulation No.2 of 2018.

As per RPPO obligation statement, APCL consumed captive consumption 69773900 units, purchase of solar certs 4025 Nos and Non solar certs 509 Nos for financial year 2019-20 is correct.

APCL purchased Solar RECs 1265 Nos and Non solar RECs 265 Nos and balance Solar RECs 2760 Nos & Non Solar RECs 244 Nos purchased in the months April, May & June, 2020.

We have written a letter for FY 2018-19 RPPO obligation for consideration of solar RECs 738 Nos which was not purchased in that FY 2018-19 and purchased in the month of April, 2019.

We are doing bidding for RECs continuously with high forbearance price even though we are not getting Solar RECs because of High demand and scarcity of Solar RECs.

We request you to kindly consider balance solar RECs 2760 Nos & Non Solar RECs 244 Nos certificates for the Compliance of RPPO obligation for the FY 2019-20.

Thanking you,

Yours faithfully,

FOR ANJANI PORTLAND CEMENT LIMITED

N Venkat Raju

Joint President (Works)

CC: The Secretary (FAC), TSERC, Hyderabad.



Corporate Office : # 6-3-553, Unit No.: E3 & E4,
4th Floor, Quena Square, Off Taj Deccan Road,
Erramanzil, Hyderabad - 500 082. Telangana.
T : +91 40 2335 3096 / 3106
E : info@anjanicement.com

Works : Chintalapalem Village & Mandai,
Suryapet Dist. - 508 246. Telangana.
T : +91 08683 230 158,
+91 08683 230 166, 230 168
F : +91 08683 230 024

Regd. Office : A-610, Kanakia Wall Street, 6th Floor, Andheri Kurla Road, Chakala Junction,
Andheri East, Mumbai 400093. Contact - 022-62396051 / 62396070

2

TRANSMISSION CORPORATION OF TELANGANA LIMITED

VIDYUTSODHA :: HYDERABAD-82

Website: www.tstransco.in

CIN No. U40102TG,2014SC,C094248

To
The Chief Engineer,
SLDC, Room No. 611,
TS TRANSCO,
Vidyut Soudha,
Hyderabad - 500 082.

From
All Obligated Entities
(List enclosed)

Lr.No.CE/SLDC/REC/F.RPPO/D.No. ²⁴⁴/20, Dt: ¹.12.2020

Re

Sub: TSSLDC Compliance of Renewable Power Purchase Obligation - Initiating proceedings under TSERC Regulation No. 2 of 2018 against the RPPO Non-Compliant Obligated entities for FY 2019-20. **Comments** on the RPPO information. Called for Reg.

Ref: TSERC Regulation No. 2 of 2018.

2: Lr. No. Secy/TSERC/7/No.1-269878/D.No.471/20, Dt: 31.12.2020


With reference to the above, it is to inform that vide reference 2nd cited, the Hon'ble Telangana State Electricity Regulatory Commission has directed TSSLDC to obtain comments of the Obligated entities on the RPPO compliance computed by TSSLDC for the FY 2019-20.

In accordance with the provisions of the Regulation No.2 of 2018 (TSERC Renewable Power Purchase Obligation (Compliance by purchase of Renewable Energy/Renewable Energy Certificates) Regulations, 2018, the TSSLDC as State Agency, has computed the compliance to RPPO target for all the consumers for FY 2019-20 as enclosed.

In this regard, you are requested to furnish your comments for the RPPO computation. In case of any deviation, you are advised to submit necessary proof thereof.

Hence, it is requested to submit the above information to this office within 15 days from the receipt of this letter under copy to the Secretary(FAC), TSERC, Hyderabad failing which, it will be assumed that the RPPO compliance computed by TSSLDC is correct and it will be taken on record.

Yr. As above


Chief Engineer/TSSLDC

Copy Submitted to:

The Secretary, TSERC, Hyderabad

DRG
 1000 (EFT)

S.No	Solar RECS	Non Solar RECS	Total RECS	Purchased on
1	93	154	247	27 th Nov 2019
2	62	0	62	26th Dec 2020
3	38	0	38	29th Jan 2020
4	863	0	863	26th Feb 2020
5	209	111	320	26th March 2020
6	313	0	313	29th April, 2020
7	1302	120	1422	27th May, 2020
8	1145	124	1269	24th June, 2020
	4025	509	4534	

ANJANI PORTLAND CEMENT LTD PURCHASED RECS FY 2019-20

S.No	Solar RECS	Non Solar RECS	Total RECS	Purchased on
1	1205	151	1356	25th, July 2018
2	1171	0	1171	31st, Oct 2018
3	1024	276	1300	30th, Jan 2019
4	1111	140	1251	27th, March, 2019 & 24th April, 2019
	4511	567	5078	

ANJANI PORTLAND CEMENT LTD PURCHASED RECS FY 2018-19